



Township N. VI North, Range N. II East 2nd Mer. Surveyed by B. Bentley, 1820.

Description of the soil on the interior sectional lines.

Between Sections	Quality &c.	Between Sections	Quality &c.	Between Sections	Quality &c.
35.36	Sand & Shelly 3rd. water. Rolling 2nd. water. timber & Sh. etc.	35.36	Sand & Shelly 3rd. water. Beech. Ash &c.	31.32	Sand & Shelly 3rd. water.
25.36	Sand & Shelly 2nd. water. Ash. Beech. Sugar. Maple & Spruce	27.34	Same - Low C.	30.31	Sand & Shelly 2nd. water. Beech. Ash. Hickory &c.
25.26	Sand & Shelly 1st. water. timber. Same as No. 14.15	27.28	Sand & Shelly 2nd. water. Beech. Ash. Sugar &c.	29.32	Same - Rolling
24.25	Same	22.28	Same	29.31	Sand & Shelly 3rd. water.
23.24	Same	21.22	Sand & Shelly 3rd. water.	28.29	Same
13.24	Same	15.22	Same	19.20	Same
13.14	Sand & Shelly 2nd. water. timber. Same	15.14	Same	17.20	Same
12.13	Same - low	10.15	Same	18.19	Same
11.12	Same	9.11	Same	17.20	Same
1.13	Same - Rolling	3.10	Same	14.18	Same
1.2	Sand & Shelly 3rd. water.	3.4	Same - Rolling 2nd. water. Beech. Ash. Hickory &c.	14.18	Same
34.35	Same	32.33	Same - Shelly 3rd. water.	8.17	Same
26.35	Same - 3rd. water.	28.33	Same	7.18	Same
26.27	Sand & Shelly 1st. water. Ash. Beech. Sugar. Walnut &c.	28.29	Same	6.7	Sand & Shelly 3rd. water.
23.26	Same	21.28	Same	5.8	Same - 3rd. water.
22.23	Sand & Shelly 3rd. water.	20.21	Sand & Shelly 2nd. water. Beech. Ash. Sugar &c.	4.5	Same
14.23	Same	16.21	Sand & Shelly 3rd. water.	3.6	Same
14.15	Same	16.17	Same		
11.14	Same	9.16	Same		
10.11	Same	8.9	Same - Shelly		
2.11	Sand & Shelly 2nd. water. Beech. Ash &c.	4.9	Same		
2.3	Same - Shelly				



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Morgan County are stored on microfilm Reel 7534 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor